

MORITZ

DLH SERIES

TRAILERS & TRUCK BODIES



Taste and see that the Lord is good: blessed is the man that trusteth in him. Psalm 34:8 KJV

BUILT
TO LAST
PERFORMANCE

TBA SERIES



FH SERIES



FH+10 SERIES



ULH+6 SERIES



TGL SERIES



ULH SERIES



UDC SERIES



LRA SERIES



CR SERIES





- 10 Gauge Sides and Floor
- 24" High Sides
- 6'-9-1/2" and 6'-1-1/2" Inside Bed Widths
- 8" Cold Formed I Beam Frame
- Rubber Ride Axles
- Aluminum Tool Box w/Storage
- Scissors Hoist on 12' and 14' Lengths
- 11 Gauge Diamond Plate Fenders



Aluminum Tool Box with Storage Area (steel box on gooseneck)



Heavy Duty Adjustable Coupler (4 bolt)



Scissors Hoist Standard on 12' & 14' (cylinder on 10')




Step for Bed Access



Tarp Option



Aluminum Ramps



Hydraulic Jack Option



Gate Hold Backs



Trip Lever Option



8" I Beam Frame



1/8" Fenders



STANDARD SPECIFICATIONS

sidewalls & floor	10 gauge (thickness of steel)
height of sidewall	24"
width inside body	73-1/2" & 81-1/2"
frame	8" cold formed I-beam
tool box	aluminum diamond plate w/storage area
gate	double acting with metering chains
fenders	1/8" steel diamond plate
hydraulic lift	scissors hoist 12' & 14' - cylinder 10'
hydraulic pump	power up/power down
suspension	rubber ride (low maintenance)
brakes	electric (all wheels)
tires & wheels (all tires are radial)	9950 GVWR - 15" 8 ply rated - 6 bolt 12000 & 14000 GVWR 16" 10 ply rated 8 bolt
jack	7000 lb. 10' & 12' - 10000 lb. 14'
coupler	2-5/16" adjustable (4 bolt)
safety chains	3/8" with latch hook
lights & wiring	LED lights & sealed wire harness
aluminum ramps	15-1/2" wide x 72" long
warranty	2 year limited (see warranty for details)
other standard features	step to access inside bed d-rings inside bed gate hold back latches

OPTIONS

available rating	9950, 12000, 14000 & 16000 GVWR
pintle ring	
tarp	
stake pockets	
trip lever (forward pull)	for tailgating
jack upgrade	7k to 10k (10k standard on 14' bumper pulls and all goosenecks)
jack upgrade	hydraulic jack (power up/power down)
wireless remote	operates hydraulics wirelessly
pallet fork holders	
spare tire & wheel	

COLORS black - red - charcoal

DUMP BODY VOLUME

length	width	volume (cubic yard)
10'	73-1/2"	4.5
10'	81-1/2"	5
12'	81-1/2"	6
14'	81-1/2"	7

FRAME & BODY SPECIFICATIONS

frame & tongue	body sides & floor	body cross members	body main rails	fenders
8" @ 10 lb/ft I-beam (cold formed)	10 gauge	3" channel	2" x 3" x 3/16" tube	1/8" diamond plate

WEIGHT SPECIFICATIONS by GVWR (gross vehicle weight rating)

Bumper Pull						Gooseneck				
length	width	9950 GVWR	12000 GVWR	14000 GVWR	16000 GVWR	length	width	12000 GVWR	14000 GVWR	16000 GVWR
10'	73-1/2"	3140 lbs	3400 lbs	n/a	n/a	n/a	n/a	n/a	n/a	n/a
10'	81-1/2"	3420 lbs	3580 lbs	n/a	n/a	n/a	n/a	n/a	n/a	n/a
12'	81-1/2"	3580 lbs	3840 lbs	3990 lbs	4410 lbs	12'	81-1/2"	4430 lbs	4590 lbs	5010 lbs
14'	81-1/2"	n/a	3980 lbs	4140 lbs	4560 lbs	14'	81-1/2"	4740 lbs	4900 lbs	5320 lbs



MORITZ
TRAILERS & TRUCK BODIES

MORITZ INTERNATIONAL, INC.
665 North Main Street, Mansfield, Ohio 44902
Phone (419)526-5222 www.moritzint.com